

1-2013

Aggregation Operations from Quantum Computing

Lidiane Visintin

Universidade Federal de Pelotas, lvisintin@inf.ufpel.edu.br

Adriano Maron

Universidade Federal de Pelotas, akmaron@inf.ufepl.edu.br

Renata Reiser

Universidade Federal de Pelotas, reiser@inf.ufpel.edu.br

Ana Maria Abeijon

Universidade Católica de Pelotas, anabeijon@terra.com.br

Vladik Kreinovich

The University of Texas at El Paso, vladik@utep.edu

Follow this and additional works at: https://scholarworks.utep.edu/cs_techrep



Part of the [Computer Sciences Commons](#)

Comments:

Technical Report: UTEP-CS-13-01

Recommended Citation

Visintin, Lidiane; Maron, Adriano; Reiser, Renata; Abeijon, Ana Maria; and Kreinovich, Vladik, "Aggregation Operations from Quantum Computing" (2013). *Departmental Technical Reports (CS)*. 752.

https://scholarworks.utep.edu/cs_techrep/752

This Article is brought to you for free and open access by the Computer Science at ScholarWorks@UTEP. It has been accepted for inclusion in Departmental Technical Reports (CS) by an authorized administrator of ScholarWorks@UTEP. For more information, please contact lweber@utep.edu.

Aggregation Operations from Quantum Computing

Lidiane Visintin, Adriano Maron, Renata Reiser
UFPEL, Brazil
Email: {lvisintin,akmaron,reiser}@inf.ufpel.edu.br

Ana Maria Abeijon
UCPel, Brazil
Email: anabeijon@terra.com.br

Vladik Kreinovich
UTEP - USA
Email: vladik@utep.edu

Abstract—Computer systems based on fuzzy logic should be able to generate an output from the handling of inaccurate data input by applying a rule based system. The main contribution of this paper is to show that quantum computing can be used to extend the class of fuzzy sets. The central idea associates the states of a quantum register to membership functions (mFs) of fuzzy subsets, and the rules for the processes of fuzzyfication are performed by unitary qTs. This paper introduces an interpretation of aggregations obtained by classical fuzzy states, that is, by multi-dimensional quantum register associated to mFs on unitary interval U . In particular, t-norms and t-conorms based on quantum gates, allow the modeling and interpretation of union, intersection, difference and implication among fuzzy sets, also including an expression for the class of fuzzy S-implications. Furthermore, an interpretation of the symmetric sum was achieved by considering the sum of related classical fuzzy states. For all cases, the measurement process performed on the corresponding quantum registers yields the correct interpretation for all the logical operators.

I. INTRODUCTION

Fuzzy Logic (*FL*) and Quantum Computing (*QC*) are important areas of research aiming to collaborate in the description of uncertainty: the former refers to uncertainty modeling in human being's reasoning, while the latter studies the uncertainty of the real world considering the principles of Quantum Mechanics (*QM*). Many similarities between these two areas of research have been highlighted in several scientific papers [1], [2], [3], [4] and [5].

In this context, the logical structure describing the uncertainty associated with the fuzzy set theory can be modeled by means of quantum transformations (qTs) and quantum states (qSs). Thus, it is possible to model quantum algorithms which represent operations on fuzzy sets (union, intersection, difference, implication), and the mFs encoding qSs, possibly overlapping.

The simulation of quantum algorithms performed by classical computers enables the development of quantum algorithms, anticipating the knowledge about their behavior when run on a quantum hardware. In this scenario, the environment VPE-qGM (Visual Programming Environment for the Quantum Geometric Machine Model), described in [6] and [7], aims to support modeling and simulation of sequential and distributed quantum algorithms, showing the constructions and the evolution of quantum systems from a set of graphical interfaces.

Our main contribution considers the modeling of quantum algorithms for specifying basic fuzzy operations as

union, intersection, difference and implication functions. Extending a previous work [8], this paper focusses on the interpretation of aggregation functions. In particular, the symmetric sum is obtained by summation operator in terms of quantum registers together with its geometric interpretation. Such operations are also studied in the visual programming approach for ensuring implementation and simulation on VPE-qGM.

This paper is organized as follows: Section II presents the foundations on fuzzy logic, concepts as mFs and fuzzy operators. Section III brings the main concepts of quantum computing. In Section IV, the study includes the modeling of fuzzy sets from quantum computing, including some classical concepts such as quantum fuzzy states. Section V presents the operations on fuzzy sets modeled from qTs. Finally, conclusions and further work are discussed in Section VI.

II. PRELIMINARIES ON FUZZY LOGIC

The non well-defined borders sets called fuzzy sets (FS) were introduced in order to overcome the fact that classical sets present limitations to deal with problems where the transitions from one class to another happen smoothly. The definition, properties and operations of FSs are obtained from the generalization of classical set theory, which can be seen as a particular case of fuzzy set theory.

The classical set theory is based on the characteristic function defined from a subset A of $\mathcal{X} \neq \emptyset$ to the Boolean set $\{0, 1\}$, i.e, it assigns to each $x \in \mathcal{X}$ an element of a discrete set $\{0, 1\}$ according to the expression:

$$\lambda_A(x) = \begin{cases} 1, & \text{if } x \in A, \\ 0, & \text{if } x \notin A; \end{cases} \quad (1)$$

The fuzzy set theory is based on a generalization of the characteristic function for the interval $U = [0, 1]$. For the membership $f_A(x) : \mathcal{X} \rightarrow U$, the element $x \in \mathcal{X}$ belongs to the subset A with a membership degree given by $f_A(x)$, such that $0 \leq f_A(x) \leq 1$.

Definition 1. A *fuzzy set* A related to a set $\mathcal{X} \neq \emptyset$ is given by the expression:

$$A = \{(x, f_A(x)) : x \in \mathcal{X}\}. \quad (2)$$

A. Fuzzy connectives

Definition 2. A function $N : U \rightarrow U$ is a *fuzzy negation* (FN) when it verifies the following conditions:

$N(0) = 1$ and $N(1) = 0$;

N2 If $x \leq y$ then $N(x) \geq N(y)$, for all $x, y \in U$.

FNs verifying the involutive property:

N3 $N(N(x)) = x$, for all $x \in U$,

are called strong FN. See, e.g., the standard negation:

$$N_S(x) = 1 - x. \quad (3)$$

Let N be a FN. For all $\vec{x} = (x_1, \dots, x_n) \in U^n$, the N -dual function of $f: U^n \rightarrow U$ is given by the expression:

$$f_N(\vec{x}) = N(f(N(\vec{x}))), \quad (4)$$

where $N(\vec{x}) = (N(x_1), \dots, N(x_n)) \in U^n$. Moreover, when $f_N(\vec{x}) = f(\vec{x})$, then f is a self-dual function.

Based on [9], [10], [11], [12] and [13], the general meaning of an aggregation function in FL is to assign a single real number on U to any n -tuple of real numbers belonging to U^n , that is, it is a non-decreasing and idempotent (e.i., it is the identity when an n -tuple is unary) function satisfying boundary conditions.

Among several definitions we will use the following one.

Definition 3. [14, Definition 2], An **aggregation function** (AG) $A: U^n \rightarrow U$ demands, for all $\vec{x} = (x_1, x_2, \dots, x_n)$, $\vec{y} = (y_1, y_2, \dots, y_n) \in U^n$, the following conditions:

A1: $A(\vec{0}) = A(0, 0, \dots, 0) = 0$; $A(\vec{1}) = A(1, 1, \dots, 1) = 1$;

A2: If $\vec{x} \leq \vec{y}$ then $A(\vec{x}) \leq A(\vec{y})$;

A3: $A(\vec{x}_\sigma) = A(x_{\sigma_1}, x_{\sigma_2}, \dots, x_{\sigma_n}) = A(x_1, x_2, \dots, x_n) = A(\vec{x})$.

Extra properties for AGs are reported below:

A4: $A(x, x, \dots, x) = x$, for all $x \in U$ (idempotency);

A5: $A(\vec{x}) = A_{N_S}(\vec{x})$ (self-duality).

Let $\vee, \wedge: U^2 \rightarrow U$ be the binary idempotent AGs defined as $\vee(x, y) = \max(x, y)$ and $\wedge(x, y) = \min(x, y)$. So, when A verifies A4a, for all $x, y \in U$, then

$$\wedge(x, y) \leq A(x, y) \leq \vee(x, y), \quad (5)$$

and A is said to be compensatory in the unit interval.

Among the most often used AGs, frequently classified as compensatory and weighted operators, this paper considers the **symmetric sum**, which is, for all $\vec{x} \in U^n$, a continuous (with respect to each of its variables) and self-dual aggregation \underline{S} (see A5). In [15], a binary symmetric sum is expressed as

$$\underline{S}(x, y) = \frac{G(\vec{x})}{G(\vec{x}) + G(N_S(\vec{x}))} \quad (6)$$

whenever $G: U^2 \rightarrow U$ is a continuous, increasing and positive function satisfying $G(0, 0) = 0$. It is worth noticing that there is not a unique function G characterizing each symmetric sum. Additionally, symmetric sums are in general not symmetric or commutative.

Proposition 1. Let $a, b \in U$ and $G: U^2 \rightarrow U$ such that $G(x, y) = a\sqrt{x} + b\sqrt{y}$. A function $\underline{S}: U^2 \rightarrow U$ given as:

$$\underline{S}(x, y) = \frac{a\sqrt{x} + b\sqrt{y}}{\sqrt{(a\sqrt{x} + b\sqrt{y})^2 + (a\sqrt{1-x} + b\sqrt{1-y})^2}}, \quad (7)$$

is defined as a symmetric sum as expressed in Eq.(6).

Proof. The continuity of \underline{S} follows from the composition over continuous functions on U . And, for all $(x, y) \in U^2$,

$$\begin{aligned} \underline{S}(x, y) &= \frac{a\sqrt{x} + b\sqrt{y}}{\sqrt{(a\sqrt{1-x} + b\sqrt{1-y})^2 + (a\sqrt{x} + b\sqrt{y})^2}} \\ &= 1 - \frac{a\sqrt{1-x} + b\sqrt{1-y}}{\sqrt{(a\sqrt{1-x} + b\sqrt{1-y})^2 + (a\sqrt{x} + b\sqrt{y})^2}}. \end{aligned}$$

So, $\underline{S}(x, y) = \underline{S}_{N_S}(x, y)$, implying that \underline{S} is a self N_S -dual function. Moreover, it is immediate that G is a continuous, increasing and positive function satisfying $G(0, 0) = 0$.

Now, conjunctive and disjunctive AFs are reported.

A **triangular (co)norm** (t-(co)norm) is a binary AG $(S)T: U^2 \rightarrow U$ satisfying the boundary condition, which is, respectively, given by the expressions:

$$T1: T(x, 1) = x; \quad S1: S(x, 0) = x,$$

and the associativity property, respectively expressed as:

$$T2: T(x, T(y, z)) = T(T(x, y), z); \quad S2: S(x, S(y, z)) = S(S(x, y), z).$$

There are many references reporting different definitions of t-norms and t-conorms [16]. Herein, for all $x, y \in U$, we consider the respective t-norm and t-conorm:

- Algebraic product and algebraic sum:

$$T_P(x, y) = x \cdot y; \quad \text{and} \quad S_P(x, y) = x + y - x \cdot y. \quad (8)$$

A binary function $I: U^2 \rightarrow U$ is an implication operator (implicator) if the following conditions hold:

$$I0: I(1, 1) = I(0, 1) = I(0, 0) = 1 \quad \text{and} \quad I(1, 0) = 0.$$

In [17] and [18], additional properties are considered to define a fuzzy implication obtained by an implicator:

Definition 4. A **fuzzy implication** $I: U^2 \rightarrow U$ is an implicator verifying, for all $x, y, z \in U$, the conditions:

I1: *Antitonicity in the first argument:*

$$\text{if } x \leq z \text{ then } I(x, y) \geq I(z, y);$$

I2: *Isotonicity in the second argument:*

$$\text{if } y \leq z \text{ then } I(x, y) \leq I(x, z);$$

I3: *Falsity dominance in the antecedent:* $I(0, y) = 1$;

I4: *Truth dominance in the consequent:* $I(x, 1) = 1$.

Among the implication classes with explicit representation by fuzzy connectives (negations and AGs) this work considers the class of (S, N) -implication, extending the classical equivalence $p \rightarrow q \Leftrightarrow \neg p \vee q$.

Let S be a t-conorm and N be a fuzzy negation. A (S, N) -**implication** is a fuzzy implication $I_{(S, N)}: U^2 \rightarrow U$ defined by:

$$I_{(S, N)}(x, y) = S(N(x), y), \quad \forall x, y \in U. \quad (9)$$

If N is an involutive function, Eq. (9) defines an **S-implication**[19]. The Reichenbach implication given as:

$$I_{RB}(x, y) = 1 - x + x \cdot y, \quad \forall x, y \in U, \quad (10)$$

is an S -implication, obtained by a fuzzy negation $N_S(x) = 1 - x$ and a t-conorm $S_P(x, y) = x + y - x \cdot y$, previously presented in Eqs. (3) and (8b), respectively.

B. Operations over fuzzy sets

Consider in the following definitions and examples of operations defined over the fuzzy sets $A, B \subseteq \mathcal{X}$.

Let $T, S : U^2 \rightarrow U$ be a t-(co)norm. [20].

The **complement of A** is a fuzzy set $A' = \{(x, f_{A'}) : x \in \mathcal{X}\}$, with $f_{A'} : \mathcal{X} \rightarrow U$ is given by:

$$f_{A'}(x) = N_S(f_A(x)) = 1 - f_A(x), \quad \forall x \in \mathcal{X}. \quad (11)$$

Let $\underline{S} : U^2 \rightarrow U$ be the symmetric sum, according with Eq.(7). The **symmetric sum between the fuzzy sets A and B** , is the fuzzy set $A \oplus B = \{(x, f_{A \oplus B}(x)) : x \in \mathcal{X}\}$, with $f_{A \oplus B}(x) : \mathcal{X} \rightarrow U$ given by:

$$f_{A \oplus B}(x) = \underline{S}(f_A(x), f_B(x)), \forall x \in \mathcal{X}. \quad (12)$$

The **intersection between the fuzzy sets A and B** results in a fuzzy set $A \cap B = \{(x, f_{A \cap B}(x)) : x \in \mathcal{X}\}$, with $f_{A \cap B}(x) : \mathcal{X} \rightarrow U$ given by:

$$f_{A \cap B}(x) = T(f_A(x), f_B(x)), \forall x \in \mathcal{X}. \quad (13)$$

An important characterization of the mF related to an intersection $A \cap B$ is obtained by applying the algebraic product to the fuzzy sets A and B , given by Eq. (8a):

$$f_{A \cap B}(x) = f_A(x) \cdot f_B(x), \forall x \in \mathcal{X}. \quad (14)$$

Let $S : U^2 \rightarrow U$ be a t-conorm. A **union operation between fuzzy sets A and B** results in a fuzzy set $A \cup B = \{(x, f_{A \cup B}(x)) : x \in \mathcal{X}\}$, whose membership $f_{A \cup B}(x) : \mathcal{X} \rightarrow U$ is given by:

$$f_{A \cup B}(x) = S(f_A(x), f_B(x)), \forall x \in \mathcal{X}. \quad (15)$$

Let $S : U^2 \rightarrow U$ be a t-conorm. An **implication operation between fuzzy sets A and B** results in a fuzzy set $A \triangleright B = \{(x, f_{A \triangleright B}(x)) : x \in \mathcal{X}\}$, whose mF $f_{A \triangleright B}(x) : \mathcal{X} \rightarrow U$ is given by:

$$f_{A \triangleright B}(x) = S(N(f_A(x)), f_B(x)), \forall x \in \mathcal{X}. \quad (16)$$

A characterization of the fuzzy union $A \cup B$ is obtained by applying the algebraic product defined by Eq. (8a):

$$f_{A \cup B}(x) = f_A(x) + f_B(x) - f_A(x) \cdot f_B(x), \forall x \in \mathcal{X}. \quad (17)$$

Extending the classical equivalence $\neg(p \rightarrow q) \Leftrightarrow p \wedge \neg q$, we obtain the difference operator.

Let S be t-conorm, N be a strong FN and I be an S -implication, A and B be FSs. A **difference between A and B** results in a FS $A \cup B = \{(x, f_{A-B}(x)) : x \in \mathcal{X}\}$, with $f_{A-B} : \mathcal{X} \rightarrow U$ given by:

$$f_{A-B}(x) = N(I_S(f_A(x), f_B(x))) \forall x \in \mathcal{X}. \quad (18)$$

By the composition of N_S and I_{RB} in Eqs.(10) and (3), respectively, see a fuzzy set $A \cup B$ obtained by the mF:

$$\begin{aligned} f_{A-B}(x) &= N_S(S_P(N_S(f_A(x)), f_B(x))) \\ &= f_A(x) - f_A(x) \cdot f_B(x), \forall x \in \mathcal{X}. \end{aligned} \quad (19)$$

III. FOUNDATIONS ON QUANTUM COMPUTING

QC considers the development of quantum computers, exploring the phenomena predicted by the QM (superposition of states, quantum parallelism, interference, entanglement) for better performance when they are compared to the analogous classical approach [21]. These quantum algorithms are modeled considering some mathematical foundations which describe the phenomenon of QM .

A. Quantum state spaces

In QC , the *qubit* is the basic unit of information, being the simplest quantum system, defined by a state vector, unitary and bi-dimensional, generally described, in the notation of Dirac [21], by the expression

$$|\psi\rangle = \alpha|0\rangle + \beta|1\rangle. \quad (20)$$

The coefficients α and β are complex numbers corresponding to the amplitudes of the respective states of the computational basis of one-dimensional quantum state space, verifying the normalization condition $|\alpha|^2 + |\beta|^2 = 1$ and ensuring the unitary of the state vector of the quantum system, represented by $(\alpha, \beta)^t$.

The state space of a multiple-dimensional quantum system is obtained by the tensor product of state spaces of corresponding component systems. So, a bi-dimensional quantum system generated by $|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$ and $|\varphi\rangle = \gamma|0\rangle + \delta|1\rangle$ is given by the tensor product:

$$|\psi\rangle \otimes |\varphi\rangle = \alpha|00\rangle + \beta|01\rangle + \gamma|10\rangle + \delta|11\rangle. \quad (21)$$

B. Quantum transformations

The transition of state in a quantum system performed by unitary qTs are associated with orthonormalized matrices of order 2^N , and N being the amount of *qubits* transformation. For instance, the definition of the *Pauly X* transformation and its application over a one-dimensional quantum system is described by

$$X|\psi\rangle = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \times \begin{pmatrix} \alpha \\ \beta \end{pmatrix} = \begin{pmatrix} \beta \\ \alpha \end{pmatrix}. \quad (22)$$

A bi-dimensional construction related to the product tensor of two *Pauly X* qTs is described in Eq (23):

$$X^{\otimes 2} = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \otimes \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} = \begin{pmatrix} 0 & 0 & 0 & 1 \\ 0 & 0 & 1 & 0 \\ 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \end{pmatrix}. \quad (23)$$

Analogous to qTs of multiple *qubits* which were obtained by the tensor product performed over unitary transformations, the controlled transformations also modify the state of one or more *qubits* considering the current state.

The *Toffoli* transformation [21] is a controlled operation performed over 3 *qubits*, which is obtained by a qT that execute *NOT* operator (*Pauly X*) over $|\sigma\rangle$ state when the current states of first two *qubits* $|\psi\rangle$ and $|\varphi\rangle$ are both assigned as $|1\rangle$.

C. Measurement operations

The reading of the current state of a quantum system is performed by a measurement operator, which is defined based on a set of linear operators M_m , also called projections, acting on quantum state spaces. The index M refers to the possible measurement results. If the state of a quantum system is $|\psi\rangle$ immediately before the measurement, the probability of an outcome occurrence is given by [21]:

$$p(|\psi\rangle) = \frac{M_m|\psi\rangle}{\sqrt{\langle\psi|M_m^\dagger M_m|\psi\rangle}} \quad (24)$$

The measurement operators satisfy the completeness relation $\sum_m M_m^\dagger M_m = I$. For one-dimensional quantum systems, there exist the Hermitian (and thus, normal) matrix representation of these operators, described by

$$M_0 = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix} \quad \text{and} \quad M_1 = \begin{pmatrix} 0 & 0 \\ 0 & 1 \end{pmatrix}.$$

Measurement operators are self-adjoint non-reversible operators, satisfying the completeness relation

$$M_0^2 = M_0, \quad M_1^2 = M_1 \quad \text{and} \quad M_0^\dagger M_0 + M_1^\dagger M_1 = I_2 = M_0 + M_1.$$

When a *qubit* $|\psi\rangle$, with $\alpha, \beta \neq 0$, the probability of observing $|0\rangle$ and $|1\rangle$ are, respectively, given by:

- $p(|0\rangle) = \langle\phi|M_0^\dagger M_0|\phi\rangle = \langle\phi|M_0|\phi\rangle = |\alpha|^2$.
- $p(|1\rangle) = \langle\phi|M_1^\dagger M_1|\phi\rangle = \langle\phi|M_1|\phi\rangle = |\beta|^2$.

Therefore, after the measure, the quantum state $|\psi\rangle$ has $|\alpha|^2$ as the probability to be in the classical state $|0\rangle$; and $|\beta|^2$ as the probability to be in the other one, the state $|1\rangle$.

IV. FUZZY SETS FROM QUANTUM COMPUTING

The description of FS A from the quantum computing viewpoint considers $f_A(x)$, as state in Eq. (2).

Without losing generality, let \mathcal{X} be a finite subset with cardinality N ($|\mathcal{X}| = N$). Thus, the definitions can be extended to infinite sets, considering in this case, a quantum computer with an infinite quantum register [21].

A. Classical fuzzy states - CFS

Definition 5. [22, Definition 1] Consider $\mathcal{X} \neq \emptyset, |\mathcal{X}| = N, i \in \mathbb{N}_N = \{1, 2, \dots, N\}$ and a function, $f : \mathcal{X} \rightarrow U$. The state of a N -dimensional quantum register, given as:

$$|s_f\rangle = \bigotimes_{1 \leq i \leq N} [\sqrt{1 - f_A(x_i)}|0\rangle + \sqrt{f_A(x_i)}|1\rangle] \quad (25)$$

is called **classical fuzzy state** of N -qubits (CFS). In addition, $[CFS]$ denotes the set of all CFS_S .

Remark 1. Interpreting fuzzy set operations

Let $\mathcal{A} = \{A_j\}$ be a finite collection of fuzzy sets related to an arbitrary set \mathcal{X} , x be an element of \mathcal{X} and $|s_{f_{A_j}}\rangle$ be an one-dimensional classical fuzzy state defined as:

$$|s_{f_{A_j}}\rangle = \sqrt{1 - f_{A_j}(x)}|0\rangle + \sqrt{f_{A_j}(x)}|1\rangle.$$

Then an interpretation to an N -ary fuzzy operator performed over all the collection \mathcal{A} can be obtained by the following expression:

$$|x\rangle = \bigotimes_{1 \leq j \leq N} |s_{f_{A_j}}(x)\rangle$$

In particular, such interpretation extends the notion of union and intersection to the collection \mathcal{A} .

Remark 2. Interpreting type-2 fuzzy sets

Under the same conditions stated in Definition 5, let $\mathbb{N}_N = \{1, 2, \dots, N\}$ be a set of independent measurement sources and $|s_{f_A}(x_i)\rangle$ be a one-dimensional CFS defined as:

$$|s_{f_A}(x_i)\rangle = \sqrt{1 - f_A(x_i)}|0\rangle + \sqrt{f_A(x_i)}|1\rangle.$$

Then, the following expression

$$|z\rangle = \bigotimes_{1 \leq i \leq N} |s_{f_A}(x_i)\rangle$$

provides an interpretation for the fuzzy set whose values are membership degrees of an element $x \in \mathcal{X}$ and related to the same fuzzy set A . Such membership degrees can possibly be obtained by different measurement sources. More specifically, x_i indicates the membership degree of the element x measured by the source i .

Henceforth, this paper considers the interpretation of Remark 1. Generalizing, a state $|s_f\rangle$ in \mathcal{C}^{2^N} is reported as the following:

Definition 6. [22, Section 3] The CFS of N -qubits, $|s_f\rangle \in [CFS]$, can be expanded in \mathcal{C}^{2^N} by Eq. (26):

$$\begin{aligned} |s_f\rangle = & (1 - f(1))^{\frac{1}{2}}(1 - f(2))^{\frac{1}{2}} \dots (1 - f(n))^{\frac{1}{2}} |00 \dots 00\rangle + \\ & f(1)^{\frac{1}{2}}(1 - f(2))^{\frac{1}{2}} \dots (1 - f(n))^{\frac{1}{2}} |10 \dots 00\rangle + \\ & f(1)^{\frac{1}{2}} f(2)^{\frac{1}{2}} \dots (1 - f(n))^{\frac{1}{2}} |11 \dots 01\rangle + \dots \\ & f(1)^{\frac{1}{2}} f(2)^{\frac{1}{2}} \dots f(n)^{\frac{1}{2}} |11 \dots 11\rangle. \end{aligned} \quad (26)$$

Concluding this section, from the perspective of QC, a fuzzy set consists on a superposition of crisp sets. Each $|s_f\rangle \in [CFS]$ is a representation of a quantum register described as a superposition of crisp sets and generated by the tensor product of non-entangled quantum registers [21].

B. Quantum Fuzzy Sets (QFS)

According to [22], it appears that the fuzzy sets are obtained by overlapping qSs from a conventional fuzzy quantum register. Moreover, from the set of mFs representing the fuzzy classical states, we obtain a linear combination, formalizing the notion of a fuzzy quantum register. In this context, it may be characterized:

- quantum fuzzy sets as quantum superposition of fuzzy subsets, which have different shapes, simultaneously.
- quantum fuzzy sets that are subsets of entangled superpositions of crisp subsets (or classical fuzzy sets).

Proposition 2. [22, Theorem 1] Consider $N = |\mathcal{X}|$, A as a fuzzy subset. A quantum fuzzy subset related to a fuzzy set A is a point in the quantum states space \mathcal{C}^{2^N} .

Proposition 3. [22, Theorem 2] Let $f, g : X \rightarrow U$ be mFs with respect to \mathcal{X} . The classical fuzzy sets $|s_f\rangle$ and $|s_g\rangle$ are mutually orthonormal CFSs if and only if there exists $x \in \mathcal{X}$ such that either $f(x) = 0$ and $g(x) = 1$ or the converse, $f(x) = 1$ and $g(x) = 0$.

By Proposition 3, a pair of $|s_f\rangle$ and $|s_g\rangle$ in [CFS] are mutual orthogonal CFSs if and only if there exists $x \in X$ such that $f(x) \cdot g(x) = 0$. In Eq (26), a qS $|s_f\rangle$ in \mathcal{C}^{2^N} is characterized, when all vectors are two by two orthonormal elements of a base in \mathcal{C}^{2^N} . For further specifications, see [21], [23] and [24].

Definition 7. Consider $f_i : X \rightarrow U$, $i \in \{1, \dots, k\}$, as a collection of mF generating FSs A_i and $\{|s_{f_1}\rangle, \dots, |s_{f_k}\rangle\} \subseteq$ [CFS], such that their components are two by two orthonormal vectors. Let $\{c_1, \dots, c_k\} \subseteq \mathcal{C}$. A **quantum fuzzy set (QFS)** $|s\rangle$ is a linear combination given by:

$$|s\rangle = c_1|s_{f_1}\rangle + \dots + c_k|s_{f_k}\rangle. \quad (27)$$

[CFQ] denotes the set of all CFQs.

From Def. 7, a fuzzy qS of a N -dimensional quantum register, as described by Eq.(27), can be entangled or not, depending on the family of classical fuzzy states $|s_{f_i}\rangle$ and the set C_i of chosen amplitudes.

Notice that, in Def. 7, non-entangled fuzzy states can be transformed into classical fuzzy states, by image of rotations on the Bloch's sphere axis (such as rotations of the meridian to achieve a zero phase), see details in [23].

V. MODELING FUZZY SET OPERATIONS FROM QUANTUM TRANSFORMATIONS

According to [22], fuzzy sets can be obtained by quantum superposition of classical fuzzy states associated with a quantum register. Thus, interpretations relate to the fuzzy operations as complement and intersection are obtained from the *NOT* and *AND* qTs. Extending this approach, other operations are introduced, such as union, difference and fuzzy implication, which may be derived from interpretations of *OR*, *DIV* and *IMP* quantum operators.

For model, implement and validate these constructions from fuzzy quantum registers we make use of the visual programming environment VPE-qGM. It provides interpretations of the quantum memory, quantum processes and computations related to transition quantum states obtained from the simulation of related qSs and qTs.

For that, let $f_A, f_B : \mathcal{X} \rightarrow U$ be mFs obtained according with Eq. (25) and by a pair $(|s_{f_A}\rangle, |s_{f_B}\rangle)$ of CFS, given as:

$$|s_{f_A}\rangle = \sqrt{f_A(x_i)}|1\rangle + \sqrt{1-f_A(x_i)}|0\rangle, \quad (28)$$

$$|s_{f_B}\rangle = \sqrt{f_B(x_i)}|1\rangle + \sqrt{1-f_B(x_i)}|0\rangle, \forall x_i \in \mathcal{X}. \quad (29)$$

In the next sections, in order to simplify the notation, the membership degree defined by $f_A(x_i)$, which is related to an element $x_i \in \mathcal{X}$ in the fuzzy set A , will be denoted by f_A , once only one element will be considered to achieve interpretations for the main fuzzy set operations.

A. Fuzzy Complement

In the interpretation of the complement of a fuzzy set, the standard negation is obtained by the *NOT* operator related to a multi-dimensional quantum system. The action of the *NOT* operator is given by the expression:

$$NOT(|s_{f_A}\rangle) = \sqrt{1-f_A}|1\rangle + \sqrt{f_A}|0\rangle \quad (30)$$

The complement operator can be applied to the state $|s_{f_A}\rangle$, resulting in an N -dimensional quantum superposition of 1-qubit states, described as \mathcal{C}^{2^N} in the computational basis, according with Eq. (31):

$$\begin{aligned} NOT^N(|s_{f_A}\rangle) &= NOT(\otimes_{1 \leq i \leq N} (f_A(i)^{\frac{1}{2}}|1\rangle(1-f_A(i))^{\frac{1}{2}}|0\rangle)) \\ &= \otimes_{1 \leq i \leq N} ((1-f_A(i))^{\frac{1}{2}}|1\rangle + f_A(i)^{\frac{1}{2}}|0\rangle) \end{aligned} \quad (31)$$

Now, Eqs. (32) and (33) describe other applications related to the *NOT* transformation acting on the 2nd e 3rd-qubits of a quantum system, respectively:

$$NOT_2(|s_{f_1}\rangle|s_{f_2}\rangle) = |s_{f_1}\rangle \otimes NOT|s_{f_2}\rangle; \quad (32)$$

$$NOT_{2,3}(|s_{f_1}\rangle|s_{f_2}\rangle|s_{f_3}\rangle) = |s_{f_1}\rangle \otimes NOT|s_{f_2}\rangle \otimes NOT|s_{f_3}\rangle \quad (33)$$

In the next sections, these equations will describe other fuzzy operations, such as implications and differences.

B. Symmetric Sum

In the interpretation of AGs between the fuzzy sets A and B , related to the mFs $f_A, f_B : \mathcal{X} \rightarrow U$, respectively, the symmetric sum is obtained by the summation operator between two one-dimensional quantum registers. The action of such operator interpreting the binary symmetric sum, as stated in Eq.(6), is given as a linear combination $|\phi\rangle = a|s_{f_A}\rangle + b|s_{f_B}\rangle$ performed over the registers $|s_{f_A}\rangle$ and $|s_{f_B}\rangle$, by considering scalars $a, b \in U$:

$$|\phi\rangle = (a\sqrt{f_A} + b\sqrt{f_B})|1\rangle + (a\sqrt{1-f_A} + b\sqrt{1-f_B})|0\rangle.$$

Thus, we obtain the following quantum register by applying the normalization operator:

$$\frac{|\phi\rangle}{\|\phi\rangle} = \frac{(a\sqrt{f_A} + b\sqrt{f_B})|1\rangle + (a\sqrt{1-f_A} + b\sqrt{1-f_B})|0\rangle}{\sqrt{(a\sqrt{f_A} + b\sqrt{f_B})^2 + (a\sqrt{1-f_A} + b\sqrt{1-f_B})^2}}.$$

And, one of the following situations is obtained by a measurement performed over the above normalized state:

(1) an output (classic state) $|\phi'_1\rangle = |1\rangle$, with probability

$$p_1 = \frac{(a\sqrt{f_A} + b\sqrt{f_B})^2}{(a\sqrt{f_A} + b\sqrt{f_B})^2 + (a\sqrt{1-f_A} + b\sqrt{1-f_B})^2}.$$

Therefore, p_1 indicates the membership degree of an element in the fuzzy set $A \oplus B$, as defined in Eq. (13).

(2) an output $|\phi'_2\rangle = |0\rangle$ with probability

$$p_0 = \frac{(a\sqrt{1-f_A} + b\sqrt{1-f_B})^2}{(a\sqrt{f_A} + b\sqrt{f_B})^2 + (a\sqrt{1-f_A} + b\sqrt{1-f_B})^2}.$$

In this case, an expression of the complement of the symmetric sum between fuzzy sets A and B is given by $p_0 = 1 - p_1$. This probability also indicates the non-membership degree of an element in the fuzzy set $A \oplus B$.

Proposition 4. For all $x \in \mathcal{X}$, let $0 \leq \frac{\alpha+\beta}{2} \leq \frac{\Pi}{2}$ such that $f_A = \sin^2 \alpha$ and $f_B = \sin^2 \beta$. Then it holds that:

$$f_{A \oplus B} = \sin\left(\frac{\alpha+\beta}{2}\right)^2.$$

Proof: If $f_A(x) = \sin^2 \alpha$ and $f_B(x) = \sin^2 \beta$, we have:

$$\begin{aligned} \sin\left(\frac{\alpha+\beta}{2}\right)^2 &= \frac{1}{2}(1 - \cos(\alpha + \beta)) \\ &= \frac{1}{2}(1 + \sqrt{f_A f_B} - \sqrt{(1-f_A)(1-f_B)}) \\ &= \frac{(\sqrt{f_A} - \sqrt{f_B})^2(1 + \sqrt{f_A f_B} - \sqrt{(1-f_A)(1-f_B)})}{2(f_A - f_B)^2} \\ &= \frac{(\sqrt{f_A} + \sqrt{f_B})^2(1 + \sqrt{f_A f_B} - \sqrt{(1-f_A)(1-f_B)})}{2(1 + \sqrt{f_A f_B})^2 - (1-f_A)(1-f_B)} \\ &= \frac{(\sqrt{f_A} + \sqrt{f_B})^2}{(\sqrt{f_A} + \sqrt{f_B})^2 + (\sqrt{1-f_A} + \sqrt{1-f_B})^2} \end{aligned}$$

So, by Eqs.(7) and (12), if $a = b = 1$, $\sin\left(\frac{\alpha+\beta}{2}\right)^2 = f_{A \oplus B}$. ■

A geometric representation of results obtained in Proposition 4 is described in Figure 1. Moreover, the CFSs described by Eqs.(28) and (29) are also quantum registers given as $|s_{f_A}\rangle = \sin \alpha^2|1\rangle + \cos \alpha^2|0\rangle$ and $|s_{f_B}\rangle = \sin \beta^2|1\rangle + \cos \beta^2|0\rangle$, respectively.




Figure 1. Interpreting symmetric sum from quantum registers.

C. Fuzzy Intersection

Let $|s_{f_A}\rangle$ and $|s_{f_B}\rangle$ be quantum registers given by Eqs. (28) and (29), with mFs $f_A, f_B : \mathcal{X} \rightarrow U$ related to an element $x_i \in \mathcal{X}$ respectively; and T be a Toffoli gate, which is an 3-qubits qT. An **AND operator** models a fuzzy intersection according with the expression:

$$\begin{aligned} AND(|s_{f_i}\rangle, |s_{g_i}\rangle) &= T(|s_{f_i}\rangle, |s_{g_i}\rangle, |0\rangle) \\ &= \left(\sqrt{f_A}|1\rangle + \sqrt{1-f_A}|0\rangle\right) \otimes \left(\sqrt{f_B}|1\rangle + \sqrt{1-f_B}|0\rangle\right) \\ &\quad \otimes \left(\sqrt{f_A f_B}|1\rangle + \sqrt{(1-f_A)f_B}|0\rangle\right). \end{aligned} \quad (34)$$

So, by the distributivity of tensor product related to sum in Eq. (34), the next expression is held:

$$\begin{aligned} AND(|s_{f_i}\rangle, |s_{g_i}\rangle) &= \sqrt{f_A f_B}|111\rangle + \sqrt{f_A(1-f_B)}|100\rangle + \\ &\quad \left(\sqrt{(1-f_A)f_B}|010\rangle + \sqrt{(1-f_A)(1-f_B)}|000\rangle\right). \end{aligned} \quad (35)$$

Thus, a measurement performed over the third qubit ($|1\rangle$) in the qS expressed by Eq. (35), provides an output $|S'_1\rangle = |111\rangle$, with probability $p = f_A \cdot f_B$. Then, for all $i \in X$, f_A and f_B indicate the probability of $x_i \in \mathcal{X}$ is in the FS defined by $f_A(x) : \mathcal{X} \rightarrow U$ and $g_A(x) : \mathcal{X} \rightarrow U$, respectively. And then, $f_A \cdot f_B$ indicates the probability of x_i is in the intersection of such FSs. Analogously, a measurement of third qubit ($|0\rangle$) in the qS given by Eq. (35), returns an output state given as:

$$\begin{aligned} |S'_2\rangle &= \frac{1}{\sqrt{(1-f_A)f_B}}(\sqrt{f_A(1-f_B)}|100\rangle + \\ &\quad \sqrt{(1-f_A)f_B}|010\rangle + \sqrt{(1-f_A)(1-f_B)}|000\rangle) \end{aligned}$$

with probability $p_0 = 1 - f_A \cdot f_B$. In this case, an expression of the complement of the intersection between fuzzy sets A and B is given by $1 - p_0 = f_A \cdot f_B$. This probability indicates the non-membership degree of x is in the fuzzy set $A \cap B$. We also conclude that, by Eq. (35), it corresponds to the standard negation of algebraic product as described in Eq.(8) [16].

Consider now, the initial qS resulting the tensor product $|s_{f_2}\rangle \otimes |s_{f_3}\rangle \otimes |0\rangle$, according with Eq. (36):

$$|S\rangle = \frac{\sqrt{12}}{6}|000\rangle + \frac{\sqrt{6}}{6}|010\rangle + \frac{\sqrt{12}}{6}|100\rangle + \frac{\sqrt{6}}{6}|110\rangle \quad (36)$$

A simulation of the algorithm is modeled and performed in the VPE-qGM environment according with the specification of the intersection operation of fuzzy sets described in Eq. (34) and considering the qS $|S\rangle$ in Eq. (36). It is illustrated in Fig. 2. In this case, after a measurement, two possible situations are held:

- $|S'_1\rangle = |111\rangle$, with probability $p = 17\%$;
- $|S'_2\rangle = \frac{\sqrt{72}}{6\sqrt{5}}|000\rangle + \frac{\sqrt{36}}{6\sqrt{5}}|010\rangle + \frac{\sqrt{72}}{6\sqrt{5}}|100\rangle$, and $p = 83\%$.

Such states are randomly generated in the VPE-qGM environment. See the Fig. 2, the qS $|S'_2\rangle$.

D. Fuzzy Union

Let $|s_{f_i}\rangle$ and $|s_{g_i}\rangle$ be qSs given by Eqs. (28) and (29), respectively. The union of fuzzy sets is modeled by the **OR operator**, based on the expression:

$$\begin{aligned} OR(|s_{f_i}\rangle, |s_{g_i}\rangle) &= NOT^3(AND(NOT|s_{f_i}\rangle, NOT|s_{g_i}\rangle)) \\ &= NOT^3(T(NOT|s_{f_i}\rangle, NOT|s_{g_i}\rangle, |0\rangle)) \\ &= NOT^3(T(\sqrt{f_A f_B}|000\rangle + \sqrt{f_A(1-f_B)}|010\rangle + \\ &\quad \sqrt{(1-f_A)f_B}|100\rangle + \sqrt{(1-f_A)(1-f_B)}|110\rangle)). \end{aligned} \quad (37)$$

In the sequence, applying the Toffoli transformation and the fuzzy standard negation we have that:

$$\begin{aligned} OR(|s_{f_i}\rangle, |s_{g_i}\rangle) &= \sqrt{(1-f_A)(1-f_B)}|000\rangle + \\ &\quad (\sqrt{(1-f_A)f_B}|011\rangle + \sqrt{f_A(1-f_B)}|101\rangle + \sqrt{f_A f_B}|111\rangle). \end{aligned} \quad (38)$$




Figure 2. Modeling and simulation in the VPE-qGM of a quantum register interpreting an intersection between fuzzy sets.

A measure performed on third *qubit* of qS returns both cases:

- 1) when it is related to $|1\rangle$, we have the qS:

$$|S'_1\rangle = \frac{1}{\sqrt{f_B(1-f_A)+f_A}}(\sqrt{(1-f_A)f_B}|011\rangle + \sqrt{f_A(1-f_B)}|101\rangle + \sqrt{f_A f_B}|111\rangle),$$

with corresponding probability $p_1 = f_A + f_B - f_A \cdot f_B$ of $x_i \in \mathcal{X}$ is in both fuzzy sets $A \in B$. See also that union is expressed by Eq. (39), which is related to the product t-conorm [16].

- 2) when it is related to state $|0\rangle$, returns the qS $|S'_2\rangle = |000\rangle$ with $p_0 = (1-f_A) \cdot (1-f_B)$, indicating that $x_i \in \mathcal{X}$ is not in such fuzzy sets (neither A nor B).

The modeling, implementation and simulation on VPE-qGM were performed according with the description of union operation in Eq. (37) and considering the initial state as defined by Eq. (36). Similarly to the intersection operator, an interpretation of the final qS was performed in the VPE-qGM simulator. After the measurement process, one of two states is able to be reached:

- $|S'_1\rangle = \frac{1}{2}|011\rangle + \frac{\sqrt{2}}{2}|101\rangle + \frac{1}{2}|111\rangle$, such that $p = 67\%$;
- $|S'_2\rangle = |000\rangle$, with probability $p = 33\%$.

E. Fuzzy Implications

Fuzzy implications, as many other fuzzy connectives, can be obtained by a composition of quantum operations applied to quantum registers. In the following, this paper introduces the expression of the quantum operator denoted by *IMP*, over which an interpretation of Reichenbach implication is obtained.

For that, consider again the pair $|s_{f_i}\rangle$ and $|s_{g_i}\rangle$ of qSs given by Eqs. (28) and (29), respectively. The *IMP*

operator is defined by:

$$\begin{aligned} IMP(|s_{f_i}\rangle, |s_{g_i}\rangle) &= NOT_2(AND(|s_{f_i}\rangle, NOT|s_{g_i}\rangle)) \\ &= NOT_2(T(|s_{f_i}\rangle, NOT|s_{g_i}\rangle, |0\rangle)) \\ &= NOT_2(T(\sqrt{(1-f_A)f_B}|000\rangle + \sqrt{(1-f_A)(1-f_B)}|010\rangle + \\ &\quad \sqrt{f_A(f_B)}|100\rangle + \sqrt{f_A(1-f_B)}|110\rangle)). \end{aligned}$$

In the following of Eq. (40), applying the *Tofoli* and negation quantum transformations, we have that:

$$\begin{aligned} IMP(|s_{f_i}\rangle, |s_{g_i}\rangle) &= \sqrt{f_A(1-f_B)}|100\rangle + \\ &\sqrt{(1-f_A)f_B}|011\rangle + \sqrt{(1-f_A)(1-f_B)}|001\rangle + \sqrt{f_A f_B}|111\rangle. \end{aligned} \quad (40)$$

Applying the same procedure, by a measure performed over the third *qubit* in the state defined by Eq. (40) we can get the two following qSs:

- 1) an output $|S'_1\rangle$, such that

$$|S'_1\rangle = \frac{1}{\sqrt{1-f_A+f_A f_B}}(\sqrt{(1-f_A)(1-f_B)}|001\rangle + \sqrt{(1-f_A)f_B}|011\rangle + \sqrt{f_A f_B}|111\rangle), \quad (41)$$

with probability $p_1 = 1 - f_A + f_A \cdot f_B = f_{A \triangleright B}$. Therefore, p_1 indicates the membership degree of an element in the fuzzy set $A \triangleright B$ (see Eq.(16) related to I_{RB} fuzzy implication [25], as defined in Eq. (10).

- 2) an output $|S'_2\rangle = |100\rangle$ with probability $p_0 = f_A(1-f_B)$. In this case, an expression of the complement of the Reichenbach fuzzy implication related to the fuzzy sets A and B is given by $p_0 = 1 - p_1$. This probability also indicates the non-membership degree of an element in the fuzzy set $A \triangleright B$.

Taking $|s_{f_2}\rangle \otimes |s_{f_3}\rangle \otimes |1\rangle$, according with Eq. (36). The modeling, implementation and simulation in the VPE-qGM based on the operator described on Eq. (40) yielded the possible final results as in the following:

- $|P'_1\rangle = \frac{\sqrt{2}}{2}|001\rangle + \frac{1}{2}|011\rangle + \frac{1}{2}|111\rangle$, with probability $p = 67\%$;
- $|P'_2\rangle = |100\rangle$, with probability $p = 33\%$.

F. Fuzzy difference

In this section, we introduce the quantum operator denoted by *DIF*, in order to provide interpretation to the difference between fuzzy sets based on quantum computing. The *DIF* operator is modeled by a composition of *NOT* and *IMP* qTs, previously presented in Sections V-A and V-E, considering the same initial conditions.

The *DIF* quantum operator is defined as follow:

$$\begin{aligned} DIF(|s_{f_i}\rangle, |s_{g_i}\rangle) &= NOT_{2,3}(AND(|s_{f_i}\rangle, NOT|s_{g_i}\rangle)) \\ &= NOT_{2,3}(T(|s_{f_i}\rangle, NOT|s_{g_i}\rangle, |1\rangle)) \\ &= NOT_{2,3}(T(\sqrt{(1-f_A)f_B}|000\rangle + \sqrt{(1-f_A)(1-f_B)}|010\rangle + \\ &\quad \sqrt{f_A(f_B)}|100\rangle + \sqrt{f_A(1-f_B)}|110\rangle)). \end{aligned} \quad (42)$$

Then, by Eq. (33) together with Eq. (42) the *DIF* operator can be expressed as:

$$\begin{aligned} DIF(|\psi\rangle, |\phi\rangle) = & \sqrt{(1-f_A)f_B}|01\rangle \otimes |0\rangle + \\ & \sqrt{(1-f_A)(1-f_B)}|00\rangle \otimes |0\rangle + \sqrt{f_A(f_B)}|11\rangle \otimes |0\rangle + \\ & \sqrt{f_A(1-f_B)}|10\rangle \otimes (|1\rangle). \end{aligned} \quad (43)$$

Thus, also in this last case study, we are able to provide an interpretation. After a measure performed over the third *qubit* of the qS, given by Eq. (43), it returns one of the two the qSs:

- 1) $|S'_1\rangle = |101\rangle$, with $p_1 = f_A - f_A \cdot f_B = f_{A-B}$ related to the membership degree of an element to the corresponding fuzzy set $A - B$, see Eq. (18); and
- 2) the superposition quantum state $|S'_2\rangle$, given as:

$$|S'_2\rangle = \frac{1}{\sqrt{(1-f_A) + f_A f_B}} (\sqrt{(1-f_A)(1-f_B)}|00\rangle + \sqrt{(1-f_A)f_B}|01\rangle + \sqrt{f_A f_B}|11\rangle),$$

with $p_0 = 1 - f_A + f_A f_B = 1 - f_{A-B}$ indicating the membership degree of an element in the FS $A - B$.

Preserving the configuration of previous case studies, the initial qS over that the difference operator is implemented and simulated in *VPE-qGM* is given by the tensor product $|s_{f_2}\rangle \otimes |s_{f_3}\rangle \otimes |1\rangle$, according to Eq. (36).

According to the results presented by the *VPE-qGM* simulator, the both possible results of a simulation are the qSs in the following:

- $|S'_1\rangle = |101\rangle$, with probability $p = 33\%$;
- $|S'_2\rangle = \frac{\sqrt{2}}{2}|000\rangle + \frac{1}{2}|010\rangle + \frac{1}{2}|110\rangle$, with probability $p = 67\%$ obtained by a simulation on *VPE-qGM*.

VI. CONCLUSION AND FINAL REMARKS

This paper describes fuzzy sets and operations on fuzzy sets by using the concept of quantum computing, as quantum registers and quantum gates. The mFs are modelled as quantum registers and the operations over fuzzy sets are described as qTs. Hence, this work shows basic constructions in the specification of fuzzy expert systems from quantum computing, in order to obtain new information technologies based on fuzzy approach.

This paper not only analyses the operations of fuzzy complement and fuzzy intersection as described in [22] but also implements and simulates them in the *VPE-qGM* presenting an extension of such construction to other important fuzzy operations. This extension considers the modeling of the following fuzzy operations obtained from quantum operators: union, difference and implications, focusing on the class of *S*-implications. Furthermore, another aggregation operation, now related to the symmetric sum, was defined in terms of quantum registers, expanding the range of possible AFs that can be represented by QC.

Further work considers the study of interpretations related to Type-2 fuzzy sets, as ipointed out by Remark 2 in the subsection IV.

REFERENCES

- [1] F. Herrera, "Applicability of the fuzzy operators in the design of fuzzy logic controllers," Tech. Rep., 1995.
- [2] G. Melnichenko, "Energy discriminant analysis, quantum logic, and fuzzy sets," 2007.
- [3] C. H. Chen, C. J. Lin, and L. C.T, "An efficient quantum neuro-fuzzy classifier based on fuzzy entropy and compensatory operation," *Softing computing - A fusion of foundations, methodologies and applications*, vol. 12, no. 6, 2008.
- [4] S. R. Nikam, P. J. Nikumbh, and S. P. Kulkarni, "Fuzzy logic and neuro-fuzzy modeling," no. 4, 2012.
- [5] G. G. Rigatos and S. G. Tzafestas, "Parallelization of a fuzzy control algorithm using quantum computation," *IEEE-FS*, vol. 10, pp. 451-460, 2002.
- [6] A. Maron, A. Pinheiro, R. Reiser, A. Yamin, and M. Pilla, "Ambiente vpe-qgm: Em direção a uma nova abordagem para simulações quânticas," *Revi. CCEI*, vol. 14, pp. 29-46, 2010.
- [7] A. Maron, A. Pinheiro, R. Reiser, and M. Pilla, "Consolidando uma infraestrutura para simulação quântica distribuída," in *Anais da ERAD 2011*. SBC/Instituto de Informática UFRGS, 2011, pp. 213-216.
- [8] R. R. L. Visintin, A. Maron and A. Abeijon, "Quantum computing: Computation in coherence spaces," in *Proceedings of WECCIQ 2012*. UFF Ed., 2012, pp. 1-10.
- [9] V. Torra, "Aggregation operators and models," *Fuzzy Sets and Systems*, vol. 156, pp. 407-410, 2006.
- [10] G. Deschrijver and E. E. Kerre, "Implicators based on binary aggregation operators in interval valued fuzzy set theory," *Fuzzy Sets and Systems*, vol. 153, pp. 229-248, 2005.
- [11] —, "Aggregation operators in interval-valued fuzzy and atanassov's intuitionistic fuzzy set theory," *Fuzzy Sets and Their Extensions: Representation, Aggregation and Models (Studies in Fuzziness and Soft Computing)*, vol. 220, pp. 183-203, 2008.
- [12] H. Bustince, T. Calvo, B. D. Baets, C. Fodor, R. Mesiar, J. Montero, D. Paternain, and A. Pradera, "A class of aggregation functions encompassing two-dimensional OWA operators," *Information Science*, vol. 180, pp. 1977-1989, 2010.
- [13] G. Beliakov, H. Bustince, S. James, T. Calvo, and J. Fernandez, "Aggregation for atanassov's intuitionistic and interval valued fuzzy sets: the median operator," *IEEE Transaction on Fuzzy Systems*, vol. 20, pp. 487-498, 2012.
- [14] E. B. H. Bustince and V. Mohedano, "Intuitionistic fuzzy implication operators - an expression and main properties," *Intl. Journal of Uncertainty Fuzziness and Knowledge-Based Systems*, vol. 12, pp. 387-406, 2004.
- [15] W. Silvert, "Symmetric summation: A class of operations on fuzzy sets," *IEEE Transaction on Systems, man and Cybernetics*, vol. 9, pp. 659-667, 1979.
- [16] G. J. Klir and B. Yuan, *Fuzzy Sets and Fuzzy Logic; Theory and Applications*. Upper Saddle River, N. Y.: Prentice Hall, 1995.
- [17] J. Fodor and M. Roubens, *Fuzzy Preference Modelling and Multicriteria Decision Support*. Dordrecht: Kluwer Academic Publisher, 1994.
- [18] H. Bustince, P. Burillo, and F. Soria, "Automorphism, negations and implication operators," *Fuzzy Sets and Systems*, vol. 134, no. 2, pp. 209-229, 2003.
- [19] D. Dubois and H. Prade, *Fundamentals of Fuzzy Sets*. Boston: Kluwer Academic Publishers, 2000.
- [20] E. P. Klement and M. Navara, *Fuzzy Sets, Logics and Reasoning About Knowledge*, ser. Applied logics. Dordrech: Kluwer Academic Publishers, 1999, vol. 15, ch. Propositional fuzzy logics based on Frank t-norms: A comparison, pp. 17-38.
- [21] M. A. Nielsen and I. L. Chuang, *Computação Quântica e Informação Quântica*. Bookman, 2003.
- [22] M. A. Mannucci, "Quantum fuzzy sets: Blending fuzzy set theory and quantum computation," 2006.
- [23] E. H. Knill and M. A. Nielsen, "Theory of quantum computation," 2000, comment: 5 pages.
- [24] S. Imre and F. Balazs, *Quantum Computing and Communications an Engineering Approach*. John Wiley & Sons, 2005.
- [25] M. Baczyński and J. Drewniak, "Monotonic fuzzy implications," *Fuzzy Systems in Medicine, Physica-Verlag, Heidelberg, (Studies in Fuzziness and Soft Computing, Vol. 41)*, pp. 90-111, 2000.